

# Half Rack PXLS-7910

- Space saving half rack design features with quick change safety spotters rated to 900 lbs. weight capacity.
  7-degree slant design ensure natural and safe racking position.
- OPTIONS: PXLS-7924.1 Olympic platform (oak center) with inset. PXLS-7921.1 Olympic platform (all rubber) with inset.



# Dual Rack PXLS-7920

- Combination of two Half Racks allows multiple exercise participation for up to two users simultaneously.
- Designed to accommodate two PXLS-7924.1 (oak center) or 7921.1 (all rubber) Olympic platforms.
- OPTIONS: PXLS-7924.1 Olympic platform (oak center) with inset. PXLS-7921.1 Olympic platform (all rubber) with inset.



## Power Rack PXLS-7930

- Popular power rack system with full length reinforced safety rails rated to 900 lbs. weight capacity.
- Dual 2" round flat bar frame connectors double as pull-up station.
- OPTIONS: PXLS-7925.1 Olympic platform (oak center) with inset. PXLS-7922.1 Olympic platform (all rubber) with inset.



## Super Rack PXLS-7950

- Combination of Power Rack and Half Rack design allows multiple exercise participation for up to two users simultaneously.
- Designed to accommodate two Olympic platforms with insets.
- OPTIONS: PXLS-7924.1 & PXLS-7925.1 Olympic platform (oak center) with inset. PXLS-7921.1 & PXLS-7922.1 Olympic platform (all rubber) with inset.



## **ACCESSORIES & PLATFORMS**




Horizontal Bumper Rack PXLS-7994

WT: 58 lb/26 kg



6'x 8' Olympic Platform - All Rubber PXLS-7923.1

WT: 475 lb/215 kg



Spotter Platform (pair) PXLS-7996

WT: 40 lb/18 kg



6'x 8' Olympic Platform - Oak Wood Center PXLS-7926.1

WT: 445 lb/202 kg

Platforms and insets are 2" thick multiple-layer design available with 3/4" solid oak hardwood center or all rubber. Available for PXLS-7910, PXLS-7920, PXLS-7930 & PXLS-7950.



Landmine PXLS-7997

WT: 15 lb/7 kg



Dip Attachment PXLS-7998 (Not available for PXLS-7910 or 7920)



Dual Bar Catches PXLS-7999 (Not available for PXLS-7910 or 7920)

WT: 40 lb/18 kg



Self-Aligning Adjustable Bench PXLS-7901 For use with or without platform. (Shown with Half Rack PXLS-7910) BENCH WT: 140 lb/64 kg


### PLATFORM SPECIFICATIONS

#### HALF RACK PXLS-7910

# 92 in/234 cm


Height: 97 in/246 cm Rack Wt: 410 lb/186 kg Platform Wt: 450 lb/204 kg

#### DUAL RACK PXLS-7920




Height: 97 in/246 cm Rack Wt: 640 lb/246 kg Platform Wt: 450 lb/204 kg

#### POWER RACK PXLS-7930



Height: 97 in/246 cm Rack Wt: 630 lb/286 kg Platform Wt: 470 lb/213 kg

#### SUPER RACK PXLS-7950



Height: 97 in/246 cm Rack Wt: 860 lb/390 kg Platform Wt: 470 lb/213 kg

#### OAK WOOD CENTER or ALL RUBBER OLYMPIC PLATFORM

#### **OAK WOOD CENTER:**

#### PXLS-7924.1

6' x 8' Olympic Platform with inset: for PXLS-7910, 7920 & 7950.

#### PXLS-7925.1

6'x 8' Olympic Platform with inset: for PXLS-7930 & 7950.

#### PXLS-7926.1

6'x 8' Olympic Platform Free Standing.

#### **ALL RUBBER:**

#### PXLS-7921.1

6' x 8' Olympic Platform with inset: for PXLS-7910, 7920 & 7950.

#### PXLS-7922.1

6' x 8' Olympic Platform with inset: for PXI S-7930 & 7950.

#### PXLS-7923.1

6'x 8' Olympic Platform Free Standing.



Customize your Olympic Platform with your own logo.
Please inquire with your sales representative for logo set-up fee and any additional charges.

## **SPECIFICATIONS, FEATURES & WARRANTY**

# Features designed to satisfy the evolving needs of the modern athlete!



Dual, mid-width, "thick bar" frame connectors on Power Rack and Super Rack double as additional support and pull up station.



Full length, reinforced Lever Lock safety rails adjust in 3" increments on all full cages.



Quick change, easy move safety spotters on all Half Cages.



Integrated J-hook design featuring 1-inch solid steel Swing Lock bar catches (US Patent 9,597,539 B2).

- 3"x 3" 7-gauge and 2"x3" 11-gauge tubular steel construction.
- Electrostatically applied powder coat finish, oven baked to insure durability.
- Deep penetrating electrically welded high strength frames.
- Durable-welded knurled zinc plated multi-grip pull-up station for wide, narrow, reverse and neutral grip upper body exercises.
- 3/4" spring loaded Lever-Lock pull pins on Safety Rails load rated at over 15,000 lbs.
- 3/8" and 1/2" grade 5 & 8 frame bolts used for optimum strength and durability.
- Heavy duty weight horns provide ample room to store weight plates of all sizes.
- Storage hooks, suspension loops, Olympic bar storage and power band pegs offered as standard features.
- All frames designed to anchor to floor. Refer to your Owner's Manual for anchoring requirements.



Custom two tone finish offers choice of seven primary colors:
(1) Charcoal Texture (2) Platinum Sparkle (3) Red Baron II
(4) Sky White (5) Twilight Blue (6) Matte Black (7) Wrinkle Black
Custom color available — inquire with your sales representative.

(NOTE: Always request for the actual color samples from your dealer or TuffStuff Sales Representatives)

## Commercial Warranty\*

**10 YEARS:** Structural frame (coating excluded) and welds.

**1 YEAR:** Pull-pin components and platform/inset (surface

finish excluded). ALL other parts not mentioned, one year from the date of purchase to the original

purchaser.

**90 DAYS:** Platform surface finish, custom platform logo

and rubber mat. Finish (applies only to defects

from manufacturer only).

<sup>\*</sup> See Owner's Manual for details.

